



Non-Conductive Suction Tubing with Connectors

Technical Sheet

Reference (s)	SKU	Long description	Diameter	Length	UOM
	NEX510	Single-use, sterile suction tubing	5 mm	3.0 m	30 ea/cs
	NEX520A	Single-use, sterile suction tubing	5 mm	6.1 m	25 ea/cs
	NEX56A	Single-use, sterile suction tubing	5 mm	1.8 m	50 ea/cs
	NEX610	Single-use, sterile suction tubing	6 mm	3.0 m	25 ea/cs
	NEX620A	Single-use, sterile suction tubing	6 mm	6.1 m	20 ea/cs
	NEX66A	Single-use, sterile suction tubing	6 mm	1.8 m	45 ea/cs
	NEX710	Single-use, sterile suction tubing	7 mm	3.0 m	20 ea/cs
	NEX712	Single-use, sterile suction tubing	7 mm	3.7 m	20 ea/cs
	NEX720A	Single-use, sterile suction tubing	7 mm	6.1 m	15 ea/cs
	NEX76A	Single-use, sterile suction tubing	7 mm	1.8 m	40 ea/cs
Description	Single use, sterile suction tubing is used to carry fluids/blockages from patient to suction canister.				
Main Materials	Polyvinyl chloride				
Manufacturing	Address: Cardinal Health 1430 Waukegan Rd Waukegan, IL 60085 Phone: +1.847.473.1500				
Regulation	CE marked. Single use only. ISO 13485 (Medical Devices - Quality Management Systems - Requirements for Regulatory Purposes), ISO 90001 (Quality Management Systems), ISO 11607-1:2006 (Packaging for terminally sterilized medical devices - Part 1: Requirements for materials, sterile barrier systems and packaging systems), ISO 11607-2:2006 (Packaging for terminally sterilized medical devices - Part 2: Validation requirements for forming, sealing and assembly processes), ISO 11135:2014 (Sterilization of health-care products - Ethylene oxide - Requirements for the development, validation and routine control of a sterilization process for medical devices), ASTM F1980 - 07(2011) Standard Guide for Accelerated Aging of Sterile Barier Systems for Medical Devices				
• • • • • • • • • • • • • • • • • • • •	Ethylene oxi		• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	

cardinalhealth.com

Cardinal Health 7000 Cardinal Place Dublin, Ohio 43017